.S. War Dept-S. S.O

## CONSOLIDATED STATEMENT

OF

# GUNSHOT WOUNDS.

#### CIRCULAR No. 9.

SURGEON GENERAL'S OFFICE, July 1, 1863.

469

The accompanying tables have been compiled by Surgeon J. H. Brinton, U. S. V., from the various reports received at this office, for the periods to which the tables refer.

They are believed to possess great statistical value, and are now published for the information of the medical officers of the army, and of the profession at large, in a separate form, in advance of more extended details illustrative thereof.

The Surgeon General desires to express his gratification at the promptness exhibited by the majority of medical officers in making the valuable reports embodied in these tables.

Covering, themselves, a period of only four months, they are to be considered, in addition to their intrinsic value, as an earnest for the future of still larger and more valuable contributions to the literature of surgery.

> W. A. HAMMOND, Surgeon General.

470

#### SURGEON GENERAL'S OFFICE, WASHINGTON CITY, D C., July 1, 1863.

GENERAL: In obedience to your instructions, I have the honor to submit the following tables of gunshot injuries treated in the U. S. A. General Hospitals during the months of September, October, November, and December, 1862. These figures are obtained by the aggregation of the consolidated tabular statements of nearly all of the army general hospitals in the United States for the months specified. The number of hospitals represented in the tables is one hundred and sixty-seven. Reports from others, obviously inaccurate, have been excluded as unreliable.

The statistical results thus collated are founded on the exhibit of the first edition of the "tabular statement of gunshot wounds," adopted by the Medical Department in September last. Previous to that month, the surgical statistics of the war are absolutely worthless. The only information procurable is such as can be derived from an examination of a mass of reports, all of which present merely certain figures, under the vague and unsatisfactory heading "Vulnus Sclopeticum." The adoption of the new "report of sick and wounded" was an experiment; and although as first issued, it was somewhat imperfect, it is believed that the results already arrived at possess considerable professional interest.

In the statements now presented I would direct your attention to the existence of certain unavoidable deficiencies. I would also state that steps have been instituted to correct these; and I can confidently assert that if medical officers will hereafter devote more care to the preparation of their reports, future consolidations will prove of far greater value to surgical science than those now submitted. It has been found impossible, in the present tables, to account in every detail for the entire number of cases (20,930) of gunshot injuries treated. I have therefore arranged separate tables, each of which is complete in itself. Thus, in table number 2, fifteen hundred and forty-five) amputations /624 have been reported, whilst in table number 4 I have been able to account for but 1,342; but these are accounted for fully and correctly. The same remark will apply to the statement of excisions.

Nor have I been able in the present exhibits to separate the results of the primary and secondary operations; the necessary data for this purpose were not heretofore in the possession of the Medical Department. Such alterations have, however, been made in the form of the blank issued to medical officers as will, it is hoped, correct this omission for the future.

The results of the injuries of the different thirds of the thigh were not obtained by the issue of the first edition of the sick report. This omission has been already supplied for the year 1863, and also for all cases in the present tables remaining under treatment on the first of January last.

The constant transfer of patients from one hospital to another has been one of the greatest difficulties encountered in the preparation of these tables, and the utmost caution has been necessary to avoid duplication of cases. I believe, however, that this obstacle has been overcome, and I do not think that any important errors exist in the results now offered to you.

As the subject of gunshot fractures of the femur is one of such great practical importance, I have extracted from the April reports, now in process of compilation, the statistics of these injuries for the first quarter of 1863. These I have appended in a foot note to the first table. I would also state that all cases reported as "remaining under treatment January 1, 1863," have been taken up and accounted for in the reports of the quarter ending March 31, 1863, now being compiled. Fuller information as to the comparative results of operative and conservative surgery will, it is believed, be obtained from the working of the recently adopted "Medical Descriptive List" system. Tabular statements containing only figures must unavoidably fail to accomplish this important end.

I have the honor to be, very respectfully, your obedient servant,

JOHN H. BRINTON, Surgeon U. S. V.

Brigadier General WM. A. HAMMOND, Surgeon General U. S. A.

#### No. 1.

Tabular statement of gunshot wounds treated in the U. S. A. General Hospitals during the months of September, October, November, and December, 1842; showing the number returned to duty, furloughed, deserted, discharged, died, and remaining under treatment January 1, 1863.

			_					
GUNSHOT WOUNDS—SEAT AND CHARACTER.	Total number of cases.	Returned to duty.	Furloughed.	Deserted.	Discharged.	Died.	Frisoners exchg'd.	Remaining under treatment Jan. 1, 1863.
Flesh wounds.         Of head         Of neck         Of trunk         Of external genitals         Of upper extremities         Of lower extremities	$1,090 \\ 459 \\ 2,190 \\ 163 \\ 4,972 \\ 3,817$	396 166 686 49 1,750 1,338	37 15 76 5 186 241	29 6 50 2 144 37	$107 \\ 45 \\ 220 \\ 24 \\ 594 \\ 248$	30 21 91 9 63 78	4 6 12 16	487 200 1, 055 74 2, 219 1, 875
Wounds of cavities. Of brain Of lungs Other wounds of thoracic cavity Of stomach Of intestines Of bladder Other wounds of abdominal cavity.	44 495 114 19 72 31 104		$2 \\ 17 \\ 5 \\ 1 \\ 2 \\ 2 \\ 4$	7 9	$3 \\ 112 \\ 46 \\ 6 \\ 4 \\ 6 \\ 36$	32 192 18 5 43 16 15	4	7 163 45 7 14 7 49
Gunshot fractures. Of cranium Of facial bones Of clavicle Of scapula Of humerus Of forearm Of forearm Of feenur Of leg Of ribs	176 405 132 199 575 728 749 967 113	$   \begin{array}{r}     72 \\     17 \\     37 \\     38 \\     101 \\     9 \\     61 \\     14   \end{array} $	$9 \\ 19 \\ 2 \\ 4 \\ 36 \\ 40 \\ 13 \\ 29 \\ 6$	3  6 8 4 9 1	43 72 27 24 177 160 113 156 25	59 27 7 69 18 238 140 11	8	65 212 71 127 243 398 372 572 56

472

GUNSHOT WOUNDS—SEAT AND CHARACTER.	Total number of cases.	Returned to duty.	Furloughed.	Deserted.	Discharged.	Died.	X	Remaining under treatment Jan. 1, 1863.
Of vertebræ Of other bones	48 997	1 204	2 35	18	7 202	22 48		16 490
Wounds of joints.         Of shoulder joint	$269 \\ 241 \\ 161 \\ 146 \\ 427 \\ 282 \\ 161 \\ 532 \\ 52$	  19 173 18	12 6 7 3 13 8 8 8 4 7	8 7 1 5 7 	61 78 48 14 54 58 58 28 17	$\begin{array}{c} 41 \\ 21 \\ 11 \\ 56 \\ 166 \\ 37 \\ 2 \\ 8 \\ 6 \end{array}$	10 6  12	$     \begin{array}{r}       137 \\       123 \\       94 \\       72 \\       189 \\       148 \\       74 \\       295 \\       4     \end{array} $
Total	20, 930	5, 149	856	374	2,897	1,607	87	9,960

Gunshot fractures of femur treated in the U.S. A. General Hospitals during the months of January, February, and March, 1863.

	ses.		Trea	tment.						r treat- 1863.
	Total number of cases	Amputation.	Excision.	Simple dressing.	Treatment not stated, probably simple dressing.	Returned to duty.	Furloughed.	Discharged.	Died.	Remaining under ment April 1, 16
Upper third Middle third Lower third Total	103 143 137 383	22 46 35 103	2 1 3 6	53 83 85 221	26 13 14 53	1	1 2 9 12	25 41 38 104	24 26 25 75	53 73 65 191

NOTE.—Of the 383 cases included in this table, 75 were received into hospital during 1862, and are embraced in table No. 1, under the caption "remaining under treatment January 1, 1863."

473

### No. 2.

Tabular statement exhibiting the Treatment of the gunshot wounds received in the U. S. A. General Hospitals during the months of September, October, November, and December, 1862.

Seat and character.	Total number of cases.	Amputations.	Excisions.	Simple dress- ing.
GUNSHOT WOUNDS.				
Flesh wounds.				
Of head Of neck Of trunk. Of external genitals Of upper extremities Of lower extremities	$1,045 \\ 455 \\ 2,178 \\ 159 \\ 4,972 \\ 3,806$	 132 11		1,0454552,1781594,8403,795
Wounds of cavities.				
Of brain Of lungs. Other wounds of thoracic cavity Of stomach Of intestines Of bladder Other wounds of abdominal cavity	33 495 71 11 67 28 99			33 495 71 11 67 28 99
Gunshot fractures.				
Of cranium.         Of facial bones.         Of clavicle .         Of scapula .         Of humerus .         Of forearm.         Of femur.         Of leg .         Of vertebrae.         Of other bones.	$163 \\ 374 \\ 128 \\ 191 \\ 568 \\ 722 \\ 749 \\ 949 \\ 93 \\ 40 \\ 952 \\$	198 120 269 299 	$5 \\ 10 \\ 6 \\ 3 \\ 63 \\ 48 \\ 27 \\ 60 \\ 1 \\ 38$	$158 \\ 364 \\ 122 \\ 188 \\ 307 \\ 554 \\ 453 \\ 590 \\ 92 \\ 40 \\ 602$
Wounds of joints.				
Of shoulder-joint.         Of elbow         Of wrist         Of hip.         Of knee.         Of ankle         Of other joints         Contusions and injuries by spent balls.         Miscellaneous	$\begin{array}{c} 266 \\ 240 \\ 158 \\ 155 \\ 242 \\ 349 \\ 164 \\ 484 \\ 23 \end{array}$	23 34 23 104 52 39 5 5	35 39 14 8 11 8 5	$208 \\ 167 \\ 121 \\ 147 \\ 127 \\ 289 \\ 120 \\ 479 \\ 18$
Total	20, 429	1,626	381	18, 422
	1		1	1

#### No. 3.

	iber	den	nden		ot.	Other missiles.
Seat and character,	Fotal number of cases.	Round leaden bullet.	Conical leaden bullet.		Round shot.	mis
	tal of c	bund	bu	Shell.	ounc	ther
	To	Ro	Co	Sh	Rc	Of
GUNSHOT WOUNDS.						
Flesh wounds.		1				
Of head	1,049	367	453	165	22	42
Of neck	435	194	205	24		12 38
Of trunk	2,072	633	$1,189 \\ 89$	186 4	$\begin{array}{c} 26\\1\end{array}$	30 7
Of external genitals	$\begin{array}{r}152\\4,636\end{array}$	51 1, 621	2,566	307	32	110
Of upper extremities Of lower extremities	3, 461	878	2, 307	229	26	21
Wounds of cavities.						
Of brain	32	8	22	2		
Of lungs	394	153	227	33	2	9 1
Other wounds of thoracic cavity	69 13	30 7	35	0		1
Of stomach Of intestines	47	20	24	1	1	1
Of bladder	20	6	14			
Other wounds of abdominal cavity	81	25	50	6		
Gunshot fractures.						
Of cranium	148	30	79	25	3	11
Of facial bones	353	115	197	22	9	10
Of clavicle	119	31	69 105	9 18	2 5	82
Of scapula Of humerus	$     181 \\     529 $	51 110	371	28	5	15
Of forearm	661	169	447	33	4	8
Of femur	539	107	378	38	6	10
Of leg	767	205	442	80	19	21
Of ribs	102	25	66	6		5
Of vertebræ	39 910	$\frac{16}{259}$	$\begin{array}{c} 21 \\ 524 \end{array}$	1 56	17	1 54
Of other bones	510	200	0.24	00		
Wounds of joints.						
Of shoulder-joint	208	74	109	19	2	4
Of elbow	229 156	68 39	142 102	13 6	24	4
Of wrist	120	39 27	87	5	2	3
Of hip	124	57	78	6	ĩ	2
Of ankle	271	81	164	12	2	12
Of other joints	140	29	88	9	4	10
Contusions and injuries by spent balls	440 33	59 9	124 18	141 6	28	88
Miscellaneous						
Total	18,554	5,554	10,798	1,463	225	514
	1		and the second	1		1

Tabular statement exhibiting the character of the Missiles in cases of gunshot wounds treated in the U.S. A. General Hospitals during the months of September, October, November, and December, 1862. No. 4.— Tabular statement of Amputations performed in the U. S. A. General Hospitals, and their results, during the months of September, October, November, and December, 1862.

		7		476
I neces-	Secondary operation		:01 : : :	4
23'	Remaining under tr January 1, 186	$\begin{array}{c} 152 \\ 152 \\ 29 \\ 29 \\ 20 \\ 23 \\ 105$	39 53 14 15	516
	Бесопд орегаціоп песеязагу.	0007 :	10 2 1	30
rs.	Died.		14 65 65 85 85 85 85 85 85 85 85 85 85 85 85 85	336
RESULTS.	<b>Discharged.</b>	106 35 35 35 35 35 35 35 35 35 35 35 35 35	14 10 5 10	350
	Deserted.	7		11
	Furloughed.	16 13 33 33 34 36	1	25
	Returned to duty.	88 88 6 6		100
	.IntoT	371 371 477 373 373 373 373 373 372 373 372 373 372 373 373	22 119 64 32 32	1,342 ent died.
D OF TION.	Secondary opera-	$\begin{array}{c} 190 \\ 123 \\ 230 \\$	26 12 12 12 12 12 12 12 12 12 12 12 12 12	855 ge—pati
PERIOD OF OPERATION.	Primary operat'ns.	69 144 12 7 38 12 7 50 12	20 48 18 8	291 emorrha
FOR WHAT PERFORMED.	Отрет свизез.	6	2	34 andary h
FOR 1 PERFO	Gunshot wounds.	259 259 259 2166 20 216 216	22 117 129 61 61 31	1,197 d for see
SIDE OF BODY,	Left.	158 257 257 257 257 257 257 257 257 257 257	10 51 29 29 16 16	652 ry ligate
SIDE 01 BODY,	Right.	213 213 213 213 213 213 213 213 213 213	12 55 35 16 1 16	690         652         1,197         34         291         855         1,342           * Axillary artery ligated for secondary hemorrhage—patient died
	LIST OF OPERATIONS.	AMPUTATIONS. Fringers Wrist Frorearm Elbow Arm Arm Sloulder Tanso-metatarsal (Lisfranc's). Medio-tarsal (Chopart's).	Knee Thigh { Lower third Thigh { Upper third Upper third Other amputations	Total

No. 5.

No. 5. Tabular statement of Excisions performed in the U. S. A. General Hospitals, and their results, during the months of September, A

		0	
63. eatment,	Remaining under tr January 1, 18	10 36 10 10 36 10 41 36	228
-	Бесопд орегатіоп песеззагу.	1 1 1	3
	.Died.	10 10 18 18 18 1	56
RESULTS.	Discharged.	12 14 3 3 14 1 25 10	69
RES	Deserted.		50
	Furloughed.	а 1 1 1 са 1 са	2
	Returned to duty.	9	9
	.IstoT	21 45 16 8 8 8 15 50 15 50 15 50	371
PERIOD OF OPERATION,	Secondary opera- tions.	18 40 41 12 6 6 131 131 131 43	313
PERIC OPER/	Ртітату орегаťаз.	ч <mark>1,</mark> ю н н с ∞ с и с	47
FOR WHAT PERFORMED.	Оther саляез.		3
FOR	.abanow todanD	21 455 16 16 9 9 111 49	326
BODY.	Left.	253000388004	154
SIDE OF BODY.	Right.	255 265 265 267 26 26 26 26	217
	LIST OF OPERATIONS.	EXCISIONS. Wrist Elbow Shoulder Jaw Ankle Hip Continuity of long bones.	Total

8

NOTE.- In the five cases which recovered, the operation of trephning was performed after gunshot injuries. Four of the operations were secondary, and one was primary.

478

	;	FOR WHAT	FOR WHAT PERFORMED. PERIOD OF OPERATION.	PERIOD OF	OPERATION.		RESULTS.	
OFERATION.	Number of cases.	Gunshot wounds.	Gunshot Other causes. Primary Secondary Recovered. wounds.	Primary operations.	Secondary operations.	Recovered.	Died.	Under treat- ment April 1, 1863,
Trephining	35	30	5	00	32	10	28	5

Tabular statement exhibiting the results of thirty-five cases of Trephining, performed in the U.S.A. General Hospitals, from September, 1862, to March 31, 1863.

No. 7.

9

	Prisoners.	14	14				
53. Satment,	Remaining under treatment, January 1, 1863.						
	Second орегатіоп песеязату.	62	02				
	Died.	11	11				
RESULTS.	Discharged.	69	69				
RES	Deserted.	1	1				
	Furlonghed.	18	18				
	Returned to duty.	312	312				
			604				
D OF VTION.	Бесопдагу орега- tions.	451	451				
PERIC OPER/	Ргітату орегат'ля.	86	86				
WHAT RMED.	Other causes.						
FOR	Gunshot wounds.	604	604				
BODY.	.fì9.I	253	253				
SIDE OF BODY, FOR WHAT PERFORMED	Right.	351	351				
	LIST OF OPERATIONS.	Extraction of balls and other foreign bodies	Total				

Extraction of balls during the months of September, October, November, and December, 1862.

No. 6.

2

0	ò
(	0.

Tabular statement of vessels ligated in the U.S.A. General Hospitals during the months of September, October, November, and L December, 1862.

		10	
т песез-	Бесопдагу орегатіог загу; тезиіт пот д		63
53. 53.	Remaining under tre January 1, 186	10401001111 *	28
	Second operation necessary.	as ⊨	33
	Died,	н теми се боли на	42
RESULTS.	Discharged.		11
RE	.bestred.	F	1
	Returned to duty.	I I I I I I I I I I I I I I I I I I I	ŝ
	.IntoT	00111100 <u>0</u> 000400001111	86
O OF LION.	Бесопдагу орега- tions.		20
PERIOD OF OPERATION	Primary operat'ns.		22
THAT MED.	Other causes.		00
FOR WHAT PERFORMED,	.ebanow todanuð	0, 2, 2, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,	75
	Left.		37
SIDE OF BODY.	Right.		49
	LIST OF OPERATIONS.	LIGATION OF VESSELS,         Of common carotid         Of external carotid         Of subclavian         Of subclavian,         Of postilary         Of postilary         Of postilar         Of femoral.         Of popliteal.         Of popliteal.         Of popliteal.         Of popliteal.         Of popliteal.         Of sternor fibial         Of sternal plantar         Of internal jugudar vein.	Total

\* This patient has since been discharged the service, cured.

10

No. 9.

-

Miscellaneous operations performed in the U. S. A. General Hospitals during the months of September, October, November, and De-cember, 1862.

estment,	Remaining under th	100	00
LTS.	Died.	2171	œ
RESULTS.	Furloughed.	1	1
	.IntoT	-0000-	17
D OF TION.	Secondary opera- tions.		4
PERIOD OF OPERATION.	Ргітату орегаť пз.	1 1 1	0
VHAT RMED.	Other causes.	1	1
FOR WHAT PERFORMED.	.sbanow todaan?		13
	.fie.L	2	4
SIDE OF BODY.	Right.	811 1191	13
	LIST OF OPERATIONS.	Varicose veins. Prations for false joint at radius. Drilling for false joint at radius. Strangulated oblique herrial : inguinal, fourth day Excision of musculo-spiral nerve Laryngotomy Tracheotomy Tracheotomy Trephninng of tibla.	Total

11

480

